...ETTE.

...ished by Authority.

E, SATURDAY, AUGUST 24, 1889.

to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Report for the Week ending 10*th August* 1889.

Rain-fall					Prices of staple food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
angalore C. & M. Stn. ...	...	35	...	...		Well.	Standing wet and dry crops in good condition. Paddy, ragi, cow gram, little panicle and sesamum were sown. Paddy was harvested in parts. Out-turn fair.	Good.	Generally good.	Cattle disease prevalent in parts of Hoskote Taluk.
„ City & Tk...	...	43	...	80						
oskote ...	1	61	...	71						
odballapur ...	...	5	...	20						
elamangala ...	...	...	...	19						
nkanhalli ...	...	...	...	6						
agadi ...	1	56	...	34						
osepet ...	...	55	...	50						
ekal ...	1	11	...	42						
vanhalli ...	...	...	...	5						
nnapatna ...	...	73	...	...						
ar ...	...	45	1	5		Do	Standing crops in good condition. Sowing of paddy, cow gram, ragi continued.	Do	Do	Do do Water and fodder procurable.
yringpet ...	...	45	...	92						
ntamani ...	...	...	...	30						
bagal ...	..	...	...	30						
aghatta ..	...	...	...	20						
ballapur ..	1	55	...	32						
epalli ...	...	...	...	30						
bidnur ...	..	...	...	10						
r ...	...	25	...	60						
vaspur ...	...	...	...	20						
banda ...	...	...	...	65						
kur ...	...	...	...	...		Do	Standing crops in good condition. Ragi, cow gram, pigeon pea, sugar-cane, paddy, little millet and Italian millet were sown. Paddy and sugar-cane were harvested. Probable out-turn from ½ to 2 annas.	Do	Do	Do do
lagiri ...	...	20	...	...						
nayakanhalli. ...	...	...	...	80						
...	...	10	...	16						
i ...	...	...	...	15						
r ...	...	35	...	...						
yada ...	...	34	...	...						
al ...	1	6	...	8						
agere ...	...	...	...	...						

	This week.	Past week.
Rice	11	10½.
Ragi (*Eleusine corocana.*)	32	32.
Horse-gram (*Ciser arietinum.*)	18½	18.

	This week.	Past week.
Rice	11 to 12	11 to 12.
Ragi (*Eleusine corocana.*)	30 to 42	30 to 40.
Horse-gram (*Ciser arietinum.*)	14 to 17	14 to 16.

	This week.	Past week.
Rice	11½ to 15	11½ to 15.
Ragi (*Eleusine corocana.*)	40 to 50	42 to 50.
Horse-gram (*Ciser arietinum.*)	20 to 24	20 to 24.

	Mysore ...	1	72½	...	40	Rice 9½ to 13 9½ to 13.	Do	Standing crops generally in good condition except in parts where they need rain. Wild gingelly, ragi, black and green gram, cow gram, paddy and little millet were harvested.	Generally good.	Cholera prevalent in parts.	Cattle in good condition. Fodder and water available.
	Chamarajnagar ...	...	...	...	...	Ragi 25 to 40 22 to 40.					
	Seringapatam ...	...	77	...	10	(*Eleusine corocana.*)					
	Hunsur ...	...	33	...	36	Horse-					
	Yedatore ...	...	...	...	20	gram 20 to 30 20 to 36.					
	Heggaddevankote.	...	...	...	...	(*Ciser arietinum.*)					
	Gundlupet ...	...	30	...	40						
	Nanjangud ...	...	...	...	18						
	T. Narsipur ...	...	56	...	43						
	Malvalli ...	1	15	...	60						
	Mandya ...	...	15	...	...						
	Attikuppa ...	...	...	...	12						
	Nagamangala ...	...	...	...	...						
	Hassan ...	...	25	...	65	Rice 12	Do	Standing crops thriving well except in Holé-sipur Taluk where they need rain. Paddy was harvested in Channarayapatna Taluk. Coffee was transplanted in the Manjarabad Taluk.	Favorable.	Generally good. Two cases of cholera have occurred in two villages of Channarayapatna Taluk.	Murrain among cattle prevalent in Hassan Taluk.
	Manjarabad ...	2	66	4	99	Ragi 42					
	Arkalgud ...	...	3	...	73	(*Eleusine corocana.*)					
	Belur ...	...	20	...	25	Horse-					
	Channarayapatna.	...	...	...	15	gram 23					
	Arsikere ...	...	...	...	32½	(*Ciser arietinum.*)					
	Holé-Narsipur ...	...	...	...	25						
	Shimoga ...	1	62	2	17						
	Channagiri ...	...	99	1	41						
	Honnali ...	...	...	2	4	Rice 12 to 18 12 to 17.	Do	Standing crops in good condition. Paddy, great millet, ragi, sesamum, cow gram and pigeon pea were sown.	Good.	Small-pox prevalent.	Murrain, throat, mouth and foot diseases among cattle prevalent in parts.
	Shikarpur ...	1	30	4	48	Ragi 24 to 60 25 to 60.					
	Sorab ...	3	17	6	86	(*Eleusine corocana.*)					
	Sagar ...	3	57	5	75	Jola 30 to 45 29 to 45.					
	Nagar ...	12	...	22	75	(*Sorghum Vulgare.*)					
	Tirthahalli ...	6	8	9	91						
	Kumsi ...	...	79	3	55						
	Chikmagalur ...	...	17	1	17	Rice 12 to 16 12 to 16.	Amply.	Standing crops generally in good condition.	Generally good.	Small-pox prevalent in Koppa Taluk.	Cattle disease prevalent in parts of Tarikere and Koppa Taluks. Water and fodder sufficient.
	Kadur ...	...	...	...	25	Ragi 32 to 48 24 to 48.					
	Tarikere ...	2	5	8	5	(*Eleusine corocana.*)					
	Koppa ...	20	23	11	...	Horse-					
	Mudgere ...	5	65	7	10	gram 15 to 20 14 to 16.					
	Yedahalli ...	...	...	...	...	(*Ciser arietinum.*)					
	Chitaldroog ...	...	38	1	3	Rice 11 to 12½ 11 to 13.	Well.	Standing crops in good condition. Great millet, wheat, ragi, castor beans, Italian millet, horse-gram, cow gram, pigeon pea, coriander, paddy, green gram, little millet, black gram and spiked millet were sown.	Do	Small-pox prevalent in parts of the Chitaldroog. Six deaths from cholera occurred out of 12 persons affected in two villages of Jagalur Taluk.	Murrain among cattle prevalent in parts of Holalkere and Jagalur Taluks.
	Challakere ...	...	18	...	10	Ragi 34 to 60 34 to 60.					
	Hiriyur ...	...	...	...	...	(*Eleusine corocana.*)					
	Holalkere ...	...	...	1	51	Jola 28 to 41 32 to 42.					
	Davangere ...	...	...	...	95	(*Sorghum Vulgare.*)					
	Molakalmuru ...	...	...	...	80						
	Jagalur ...	...	...	...	55						
	Hosdurga ...	...	5	...	20						

By Order,
C. MADIAH,
Under-Secretary.

THE
GAZETTE.
...shed by Authority.
...ORE, SATURDAY, AUGUST 17, 1889.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 3rd August 1889.

...rict.	Rain-fall at—	Present week.		Corresponding week of last year.		Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the condition of agricultural stock, failure of pasturage or fodder, &c.
...ore ...	Bangalore C. & M. Stn. ...	...	...	...	...	This week. Past week.	Well.	Standing wet and dry crops in good condition. Paddy, ragi, pigeon pea, cow gram and little panicle were sown. Paddy was harvested in parts. Out-turn fair.	Good.	Generally good.	Cattle disease prevalent in a few taluks.
	„ City & Tk...	3	74	2	75						
	Hoskote ...	1	64	1	28						
	Dodballapur ...	1	19	1	82	Rice 10½ 10.					
	Nelamangala ...	1	75	...	18	Ragi 32 32.					
	Kankanhalli ...	1	70	2	68	(*Eleusine corocana.*)					
	Magadi ...	...	80	1	56	Horse-					
	Closepet ...	...	...	...	55	gram 18 17½.					
	Anekal ...	2	26	1	31	(*Ciser arietinum.*)					
	Devanhalli ...	1	5	1	...						
	Channapatna ...	3	90	...	...						
...	Kolar ...	...	40	...	7	Rice 11 to 12 11½ to 13.	Do	Standing crops in good condition. Sowing of ragi, cow gram, pigeon pea continued.	Do	Do	Cattle disease prevalent in parts. Water and fodder procurable.
	Bowringpet ...	2	80	...	...	Ragi 30 to 40 30 to 42.					
	Chintamani ...	...	95	...	...	(*Eleusine corocana.*)					
	Mulbagal ...	1	30	...	...	Horse-					
	Sidlaghatta ...	..	...	1	8	gram 14 to 16 15 to 20.					
	Chikballapur ...	1	55	1	84	(*Ciser arietinum.*)					
	Bagepalli ...	...	...	...	..						
	Goribidnur ...	...	...	...	95						
	Malur ...	5	40	...	77						
	Srinivaspur ...	4	15	1	30						
	Gudibanda ...	...	...	...	58						
...	Tumkur ...	1	8	3	25	Rice 11½ to 15 11½ to 15.	Do	Standing crops in good condition. Ragi, panicle, pigeon pea, cow gram, little millet, Italian millet, paddy, castor beans, horse-gram and chillies were sown. Paddy, sugar-cane, green gram and black gram were harvested. Probable out-turn 2 to 3 annas.	Do	Do	
	Maddagiri ...	1	75	...	23	Ragi 42 to 50 42 to 50.					
	Chiknayakanhalli.	1	45	...	75	(*Eleusine corocana.*)					
	Sira ...	2	30	...	...	Horse-					
	Gubbi ...	...	50	...	65	gram 20 to 24 20 to 24.					
	Tiptur ...	1	35	...	46	(*Ciser arietinum.*)					
	Pavagada ...	...	...	...	...						
	Kunigal ...	2	7	3	6						
	Koratagere ...	1		1	2½						

	Turuvekere ...	...	...	...	...					
	Huliyar ...	...	...	..	...					
Mysore ...	Mysore ...	...	...	...	10	Rice 9½ to 12 9 to 12.	Do	Standing crops generally in good condition except in parts where they are in need of rain. Wild gingelly was harvested.	Generally good.	Small-pox and cholera prevalent in parts.	Cattle generally in go condition. Fodder a water procurable.
	Chamarajnagar ...	...	...	...	...	Ragi 24 to 40 28 to 40.					
	Seringapatam ...	...	...	...	...	(*Eleusine corocana.*)					
	Hunsur ...	...	...	...	9	Horse-					
	Yedatore ...	2	15	...	13	gram 20 to 28 20 to 32.					
	Heggaddevankote.	...	43	...	46	(*Ciser arietinum.*)					
	Gundlupet ...	...	...	...	...						
	Nanjangud ...	...	66	...	16						
	T. Narsipur ...	...	...	...	82						
	Malvalli ...	...	...	...	...						
	Mandya ...	...	...	...	...						
	Attikuppa ...	...	40	...	12						
	Nagamangala ...	...	5	...	...						
Hassan ...	Hassan ...	1	80	...	35	Rice 13	Do	Standing crops thriving well. Paddy was harvested in parts. Ragi was sown.	Favorable.	Generally good.	Murrain among cattle pr valent in the Hass Taluk.
	Manjarabad ...	8	9	2	63	Ragi 28					
	Arkalgud ...	1	68	...	46	(*Eleusine corocana.*)					
	Belur ...	1	10	...	35	Horse-					
	Channarayapatna.	...	...	...	...	gram 23					
	Arsikere ...	...	62½	...	...	(*Ciser arietinum.*)					
	Holé-Narsipur ...	1	85	3	4						
Shimoga ...	Shimoga ...	1	31	1	47	Rice 12 to 16 12 to 17.	Do	Standing crops in good condition. Paddy, ragi, wild gingelly, great millet, green and black gram, cow gram, pigeon pea and sesamum were sown. Arecanut gathered in Tirthahalli.	Good.	Small-pox preva-lent.	Murrain, foot and mou diseases among cattle pr valent in parts.
	Channagiri ...	1	23	...	65	Ragi 24 to 60 24 to 60.					
	Honnali ...	...	...	...	11	(*Eleusine corocana.*)					
	Shikarpur ...	...	75	...	33	Jola 30 to 48 28 to 48.					
	Sorab ...	2	99	...	26	(*Sorghum Vulgare.*)					
	Sagar ...	4	29	1	59						
	Nagar ...	11	29	7	11						
	Tirthahalli ...	13	44	1	60						
	Kumsi ...	1	70	...	65						
Kadur ...	Chikmagalur ...	1	95	...	53	Rice 12 to 15 12 to 16.	Do	Standing crops generally in good condition except in parts of Koppa Taluk, where the areca crop was attacked by kole-roga.	Generally good.	Do	Cattle disease prevalent i parts. Water and fod der sufficient.
	Kadur ...	...	64	...	12	Ragi 22 to 48 20 to 48.					
	Tarikere ...	...	65	...	75	(*Eleusine corocana.*)					
	Koppa ...	3	83	6	25	Horse-					
	Mudgere ...	4	85	8	65	gram 14 to 20 14 to 18.					
	Yedahalli ...	...	...	...	...	(*Ciser arietinum.*)					
Chitaldroog.	Chitaldroog ...	...	76	...	48	Rice 11 to 13 11 to 13.	Do	Standing crops in good condition. Paddy, little panicle, great millet, spiked millet, little millet, Italian millet, cow gram, castor beans, ragi, panicle and pigeon pea were sown.	Do	Do Nine persons were attacked with cholera in two villages of Jagalur Taluk, of whom 6 died.	Do do
	Challakere ...	...	19	...	8	Ragi 34 to 60 34 to 60.					
	Hiriyur ...	...	...	...	35	(*Eleusine corocana.*)					
	Holalkere ...	...	20	...	86	Jola 36 to 41 38 to 41.					
	Davangere ...	...	50	...	...	(*Sorghum Vulgare.*)					
	Molakalmuru ...	...	...	...	20						
	Jagalur ...	...	10	...	50						
	Hosdurga ...	...	...	...	20						

By Order,
C. MADIAH,
Under-Secretary.

THE
MYSORE GAZETTE.
Published by Authority.

BANGALORE, SATURDAY, AUGUST 31, 1889.

☞ Separate paging is given to this Part in order that it may be filed as a separate compilation.

PART IV.

Official Papers.

Season Report for the Week ending 17th August 1889.

District.	Rain-fall at—	Present week.		Corresponding week of last year.		Price of food grains in seers per Rupee; and marked fluctuations in the prices of food grains.	Market how supplied.	Progress of agricultural operations, state of standing crops, prospects and probable out-turn of the harvests, serious damage done to crops by insects or other natural calamities.	Prospects of Season; tracts in which the rain-fall has been insufficient; areas affected by scarcity, number of people under relief, and state of food stocks.	Public Health.	Remarks as to the cond of agricultural stock, fa of pasturage or fodder,
ngalore ...	Bangalore C. & M. Stn. ...	...	20	...	...		Well.	Standing wet and dry crops in good condition. Paddy, ragi, cow gram, pigeon pea, and little panicle were sown. Paddy was harvested in parts. Out-turn fair.	Good.	Generally good. There were two fatal cases of cholera in the City of Bangalore during the week.	Cattle disease prevale parts of Hoskote Kankanhalli Taluks.
	„ City & Tk...	...	20	...	50						
	Hoskote ...	...	...	...	...						
	Dodballapur ...	...	...	...	...						
	Nelamangala ...	...	...	...	...						
	Kankanhalli ...	...	...	...	55						
	Magadi ...	...	...	...	...						
	Closepet ...	...	...	...	23						
	Anekal ...	...	34	1	15						
	Devanhalli ...	...	48	2	48						
	Channapatna ...	...	24	...	...						
ar ...	Kolar ...	...	25	...	57		Do	Standing crops in good condition. Sowing of paddy, ragi, cow gram and pigeon pea continued in parts.	Generally good. More rain needed.	Good.	Cattle disease prevalen parts. Water and fod procurable.
	Bowringpet ...	...	10	1	5						
	Chintamani ...	...	20	...	65						
	Mulbagal ...	...	...	5	75						
	Sidlaghatta ...	...	...	1	24						
	Chikballapur ...	...	55	3	5						
	Bagepalli ...	...	...	3	45						
	Goribidnur ...	...	...	1	90						
	Malur ...	...	20	...	30						
	Srinivaspur ...	...	...	...	90						
	Gudibanda ...	...	...	5	10						
kur ...	Tumkur ...	...	...	1	1		Do	Standing crops generally in good condition. Horse-gram, Italian millet, ragi, cow gram, paddy, sugar-cane, pigeon pea, and little millet were sown. Sugar-cane and paddy were harvested in parts. Probable out-turn ½ to 2 annas.	Good. Rain needed in certain parts.	Generally good.	Aphtha epizootic amor cattle prevalent in part Fodder and water pr curable.
	Maddagiri ...	...	...	...	60						
	Chiknayakanhalli. ...	...	...	...	55						
	Sira ...	...	5	...	58						
	Gubbi ...	...	...	...	80						
	Tiptur ...	...	...	...	...						
	Pavagada ...	...	...	...	...						
	Kunigal ...	...	...	...	68						
	Koratagere ...	...	...	...	...						

	This week.	Past week.
Rice	11	11.
Ragi (*Eleusine corocana.*)	32	32.
Horse-gram (*Ciser arietinum.*)	18½	18½.

Rice	11 to 12	11 to 12.
Ragi (*Eleusine corocana.*)	30 to 48	30 to 42.
Horse-gram (*Ciser arietinum.*)	14 to 18	14 to 17.

Rice	11½ to 15	11½ to 15.
Ragi (*Eleusine corocana.*)	40 to 50	40 to 50.
Horse-gram (*Ciser arietinum.*)	20 to 24	20 to 24.

	Huliyar ...	...	10	..	50					
Mysore ...	Mysore ...	...	20	...	...	Rice 9½ to 12 9½ to 12.	Do	Standing crops generally in good condition. Paddy, great millet and ragi were harvested. Wild gingelly was sown.	Pretty fair.	Cholera prevalent in parts of Hungur, Gundlupet, Chamrajnagar and Tirumakudlu-Narsipur.	Murrain among cattle prevalent in parts of Nagamangala and Yedatore Water and fodder procurable.
	Chamarajnagar ...	...	...	...	...	Ragi 28 to 40 24 to 40.					
	Seringapatam ...	...	...	...	55	(*Eleusine corocana.*)					
	Hunsur ...	...	22	...	48	Horse-					
	Yedatore ...	...	...	...	44	gram 20 to 32 20 to 28.					
	Heggaddevankote. ...	...	...	...	32	(*Ciser arietinum.*)					
	Gundlupet ...	...	...	...	15						
	Nanjangud ...	...	...	...	2						
	T. Narsipur ...	...	...	...	...						
	Malvalli ...	...	...	...	...						
	Mandya ...	...	...	...	10						
	Attikuppa ...	...	32½	...	...						
	Nagamangala ...	....	...	...	...						
Hassan ...	Hassan ...	...	55	...	40	Rice 13	Do	Standing crops thriving well. Paddy harvested in Channarayapatna Taluk.	Favorable.	Generally good.	Murrain among cattle prevalent in Hassan Taluk.
	Manjarabad ...	3	24	2	71	Ragi 38					
	Arkalgud ...	...	62	...	44	(*Eleusine corocana.*)					
	Belur ...	...	...	1	30	Horse-					
	Channarayapatna. ...	15	...	...	...	gram 22					
	Arsikere ...	...	...	...	57½	(*Ciser arietinum.*)					
	Holé-Narsipur ...	...	15	...	30						
Shimoga ...	Shimoga ...	...	97	...	18	Rice 12 to 16 12 to 16.	Do	Standing crops in good condition. Ragi, sesamum, pigeon pea, cow gram, little millet, horse-gram and Italian millet were sown. Arecanut attacked by kole-roga in Sagar and Nagar.	Good.	Do	Murrain, throat, foot and mouth diseases among cattle prevalent in parts.
	Channagiri ...	1	5	...	53	Ragi 24 to 60 24 to 60.					
	Honnali ...	...	7	...	27	(*Eleusine corocana.*)					
	Shikarpur ...	...	30	...	77	Jola 28 to 46 30 to 48.					
	Sorab ...	1	56	2	44	(*Sorghum Vulgare.*)					
	Sagar ...	4	49	2	40						
	Nagar ...	11	37	5	43						
	Tirthahalli ...	5	50	3	11						
	Kumsi ...	1	2	...	57						
Kadur ...	Chikmagalur ...	...	16	1	26	Rice 12 to 16 12 to 15.	Do	Standing crops generally in good condition.	Generally good.	Do	Cattle disease prevalent in parts. Water and fodder procurable.
	Kadur ...	1	20	...	2	Ragi 26 to 48 22 to 48.					
	Tarikere ...	1	60	...	55	(*Eleusine corocana.*)					
	Koppa ...	...	...	7	45	Horse-					
	Mudgere ...	3	85	2	...	gram 15 to 18 14 to 20.					
	Yedahalli ...	...	...	...	...	(*Ciser arietinum.*)					
Chitaldroog.	Chitaldroog ...	...	41	1	8	Rice 11 to 13 11 to 13.	Do	Standing crops in good condition. Ragi, cow gram, great millet, spiked millet, little millet, Italian millet, panicle, little panicle, paddy; horse-gram, pigeon pea and cotton were sown.	Do	Small-pox prevalent in a few taluks. Two deaths from cholera were occurred in the 2 villages of the Jagalur Taluk.	Murrain among cattle prevailed in parts. Fodder sufficient.
	Challakere ...	...	...	...	60	Ragi 34 to 60 34 to 60.					
	Hiriyur ...	...	...	...	10	(*Eleusine corocana.*)					
	Holalkere ...	...	15	...	70	Jola 28 to 41 36 to 41.					
	Davangere ...	...	40	2	...	(*Sorghum Vulgare.*)					
	Molakalmuru ...	...	15	...	70						
	Jagalur ...	...	10	...	80						
	Hosdurga ...	...	20	...	..						

By Order,
C. MADIAH,
Under-Secretary.